logitech®



DATA SHEET LOGITECH RALLY BAR

Rally Bar delivers a powerful all-in-one video conferencing experience, featuring brilliant optics, automated PTZ, and high performance audio for midsize meeting rooms. With Rally Bar, video meetings can be just as natural and productive as face-to-face collaboration.

ALL-IN-ONE VIDEO BAR FOR MEDIUM ROOMS

Logitech Rally Bar sets a new standard for video meetings in midsize rooms, with expansion options for larger groups and settings.

It's remarkably simple to use, manage, and deploy at scale, delivering cinema-quality video and audio in a sleek, all-in-one form factor. Plug and play Rally Bar with any PC or Mac, or leverage the built-in compute to run video conferencing applications directly on the device.

Rally Bar features a multi-element lens assembly, powerful low distortion speakers, and an advanced mic system to create meeting experiences that sound as good as they look. A dedicated Al camera amplifies RightSight auto-framing and delivers insights about room usage directly to the Logitech Sync dashboard. Upgrade your video collaboration with Rally Bar.

FEATURES & BENEFITS



SIMPLE TO SET UP

USB Plug and Play

Easily connects to virtually any PC or Mac[®], with no additional software required

Appliance Mode

Built-in compute allows you to run supported video conferencing applications such as Zoom directly on the device

All-in-One Design

Sleek, minimal footprint expedites setup and reduces clutter

Streamlined, Flexible Installs

Confidently deploy at scale with smart cable management and multiple mounting options

SIMPLE TO USE

RightSense Technologies

RightSight

Detects meeting participants, automatically moves the lens and adjusts the zoom so no one is left out of the picture

RightLight

Intelligently adjusts video settings in all light conditions so everyone always looks their best

RightSound

Al-driven voice leveling and unwanted noise suppression deliver outstanding clarity

One-Touch Join

Optionally deploy with Tap to quickly and easily initiate meetings across Zoom, Microsoft Teams, and other cloud services

SIMPLE TO MANAGE

Logitech Sync

Single platform to monitor room health and keep devices up to date, plus insights on room occupancy

Deploy Updates at Scale

Easily propagate upgrades and bug fixes to Rally Bar and your other supported Logitech devices

Forward-Looking Architecture

Sync API is a robust foundation for new insights and integrations

Partner Dashboard Support

Fully integrated with partner solutions like Microsoft Teams, Zoom, and others for a simplified device management experience





Room-filling Sound

Large, ultra low distortion speakers with RightSound convey every word with outstanding clarity

Adaptive Beamforming Mic Array

Beamforming mics pick up voices at every seat and focus on the active talker while suppressing ambient noise

Expansion Ready

Add up to three Rally mic pods for even greater coverage in larger settings



Ultra-HD Video

Brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K

VIDEO

Expansive Room Coverage

Motorized lens covers rooms 130° across by 80° high, with lossless image quality up to 5X optical zoom

Cinema Quality

Logitech RightLight[™] technology with WDR captures natural-looking skin tones, even in dim or backlit conditions



AI VIEWFINDER

Framed to Perfection

A second built-in camera lens has the ability to detect meeting participants, amplifying RightSight autoframing

See Everyone Clearly

All meeting participants, even late arrivals, are automatically seen and included

Move About Freely

Al Viewfinder uses scene awareness to keep the camera on the action

ACCESSORIES



TV Mount for Video Bars Securely mount Rally Bar above or below a TV or monitor



Rally Mic Pod Extension Cable

Easily connect mic pods to Rally Bar with up to two 10m extension cables



Wall Mount for Video Bars Neatly and confidently secure Rally Bar on the wall for minimal footprint



Rally Mic Pod Mount in Graphite and White Hide cables and anchor mics on the table or ceiling for a clean, finished

look



Rally Mic Pod in Graphite Expand audio coverage and provide convenient access to mute controls



Logitech Tap Controller Deploy with Tap for easy onetouch to join



Rally Mic Pod in White Expand audio coverage and provide convenient access to mute controls



Rally Mic Pod Hub Customize microphone placement for your conference table configuration

TECH SPECS

CERTIFICATIONS & COMPATIBILITY

Certifications: Zoom™ Certified, Certified for Microsoft Teams as a USB device. Contact the manufacturer for additional information on pending and granted certifications.

Compatibility: Plug and play USB connectivity with virtually any video conferencing application

Appliance Mode: Supports compatible video conferencing software in appliance mode (no PC required), including Zoom Rooms Appliances. Certification pending for Microsoft Teams Rooms on Android and additional video conferencing platforms.

GENERAL

Built-in Components: 6 beamforming microphones, PTZ camera, 2 speakers, Al Viewfinder, cable management & retention system, table stand, Logitech CollabOS platform

Enclosure: All-in-one enclosure with integrated table stand and patented speaker suspension system to eliminate vibration-induced camera shake and audio interference

Device Management: Logitech Sync

Displays Supported: 2

Display Resolution: Up to 4k

CAMERA

Resolution: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps

Pan: Motorized ±25°

Tilt: Motorized ±15°

Zoom: 15X HD zoom (5X optical, 3X digital available with upcoming software update)

Diagonal Field of View: 90°

Horizontal Field of View: 82.1°

Vertical Field of View: 52.2°

Total Room Coverage: 132.1° Horizontal x 82.2° Vertical

suppressing background noise and echo.

DIMENSIONS	SPEAKERS	RIGHTSENSE™ TECHNOLOGIES
Height: 164mm/6.46 in Width: 910 mm/2.99 ft Depth: 160mm/6.3 in Weight: 7.08 kg/15.6 lbs	Drivers: 2x 70mm/2.7 in Output: 90dB SPL @1W, 99dB SPL @8.0W, both +/-2dB at ½ meter Sensitivity: 90+/-3dB SPL at 1W, ½ meter THD: 1kHz < 2% Speaker Sampling Rate: 48 kHz	RightLight™: Renders natural skin tones for each participant. RightSight™: Maintains persistent room awareness and detects human figures to auto-frame participants. RightSound™: Distinguishes speech from other sounds to auto-level voices while

PRODUCT SPECS & LINKS



MICROPHONES		INTER	RFACES		POWER & CABLES
Frequency Respon	se: 90Hz-16kHz	HDMI Out: 2		Power Supply: Auto-sensing	
Sensitivity: >-36dE Microphone Data Pickup Range: 4.5 Beamforming Eler digital MEMS micr adaptive acoustic Audio Processing: Cancellation), VAI Noise Suppression Add-on Mics: Supp	BFS +/-1dB @ 1Pa Rate Output: 48 kHz m/15 ft ments: Six omnidirectional ophones forming five broadside beams AEC (Acoustic Echo D (Voice Activity Detector) : Al filter ports up to 3 additional	HDMI In: 1 USB 3.0: 3x Type A, 1x Ty Network: 10/100/1G Eth WiFi: 802.11a/b/g/n/ac External Mic Input: Yes (supports optional Rally Hub, and Rally Mic Pod Remote Control: Blueto	ernet (MIMO) proprietary input Mic Pod, Rally Mic Pod Extension Cable)	Operating 4.74A Power Sup 30mm DC Cable AC Cable: HDMI 1.4 (y Voltage/Power: 100-240V, 19V, oply Dimensions: 127mm x 51mm x : 1.5m/4.9 ft 1m/3.28 ft Cable: 2m/6.5 ft JSB C 3.0 Cable: 2.2m/7.2 ft
Rally Mic Pods for larger conference rooms ENVIRONMENTAL		SECURITY		WARRANTY	
Operating Temperature: 0 to 40 °C Storage Temperature: -40 to 70 °C Humidity: 10 to 95% BTU/hr: 57 idle, 64 in meeting		Full Disk Encryption: AES-128 Data Encryption: Symmetric Keys, PKI Device Identity: Protected by device attestation Device Access: Authenticated using API Key Protection: Arm TrustZone, RPMP		Standard: 2-year limited hardware warranty included Extended: Additional one-year extended warranty available at the time of hardware purchase. Contact your reseller for availability.	
,		Device Access: Authenti	ed by device attestation cated using API	warranty	available at the time of hardware
,		Device Access: Authenti Key Protection: Arm Tru:	ed by device attestation cated using API	warranty	available at the time of hardware Contact your reseller for availability.



© 2020 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published September 2020